

ACOUPHÈNES BIBLIO SITE DR ALTMANN

Ahrlen H (1977) **The Otomandibular syndrome. pp 181-94. In: Gelb H, Clinical management of head, neck and TMJ pain and dysfunction: A multi-disciplinary approach to diagnosis and treatment.** Sanders & Co (ed) Philadelphia, London, Toronto

Alkofide EA, Clark E, El Bermani W, Kronman JH, Mehta N (1997) **The Incidence and Nature of Fibrous Continuity Between the Sphenomandibular Ligament and the Anterior Malleolar Ligament of the Middle Ear.** J Orofac Pain 11; 1: 7-14

Bernhardt O, Gesch D, Schwahn C, Bitter K, Mundt T, Mack F, Kocher T, Meyer G, Hensel E, John U. (2004) **Signs of temporomandibular disorders in tinnitus patients and in a population-based group of volunteers: results of the Study of Health in Pomerania.** J Oral Rehabil. 31; 4: 311-9

Berstein JM, Mohl ND, Spiller H (1969) **Temporomandibular joint dysfunction masquerading as disease of the ear, nose and throat.** Trans Am Acad Ophthalmol 73: 1208

Bjorne A, Berven A, Agerberg G (1998) **Cervical Signs and Symptoms in Patients with Meniere's Disease: A Controlled Study.** J Craniomandib Pract 16; 3: 194-202

Block SL (1976) **Possible etiology of ear stuffiness (barohypoacousis) in MPD syndrome TMJ and facial pain.** J Dent Abstr 55, 752: B 250throat. Trans Am Acad Ophthalmol 73: 1208

Brooks GB, Maw AR, Coleman J (1981) **"Costen's syndrome" - Correlation or coincidence: a review of 45 patients with TMJ dysfunction, otalgia and oral symptoms.** Clin Otolaryngol 88: 361-7

Burch JG (1966) **The cranial attachment of the sphenomandibular ligament** Ana Rec 156: 433

Coleman RD (1970) **Temporomandibular joint : relation to the retrodiscal zone to Meckel's cartilage and lateral pterygoid muscle.** J Dent Res 49: 626

Cooper BC, Cooper DL (1993) **Recognizing Otolaryngologic Symptoms in Patients with Temporomandibular Disorders.** J Craniomandib Pract 11; 4: 260-7

Costen JB (1934) **A syndrome of ear and sinus symptoms dependent upon disturbed function of temporomandibular joint.** Ann Otol Rhinol Laryngol 43: 626

Couly G (1976) **Articulations temporomandibulaires et inter-relations fonctionnelles masticatrices.** Act Odont Stomatol 114: 233-52

Couly G, Guilbertes F, Cernea P, Bertrand JC (1976) **A propos de l'articulation temporomandibulaire du nouveau-né. Les relations oto-méniscales.** Rev Stomatol 77: 673

Du Brul EL (1979) **Origin and adaptations of the hominid jaw joint. pp 5-34.** In : **Sarnat BG, Laskin DM The temporomandibular joint.** 3rd ed, Thomas Pub (ed) Springfield

El-Kashlan HK, Shore SE (2004) **Effects of trigeminal ganglion stimulation on the central auditory system.** *Hear Res* 189; 1-2: 25-30

Franklin DJ, Smith RJ, Catlin FI, Helfrick JF (1986) **Temporomandibular joint dysfunction in infancy.** *Int J Pediat Otorhinolaryngol* 12, 1: 99-104

Gelb H, Calderone JP, Gross SM, Kantor ME (1967) **The role of the dentist and the otolaryngologist in evaluating temporomandibular joint syndromes.** *J Prosthet Dent* 18: 497

Gelb H, Gelb ML, Wagner ML (1997) **The Relationship of Tinnitus to Craniocervical Mandibular Disorders.** *J Craniomand Pract* 15; 2: 136-43

Hartmann F, Planche D, Capponi C, Cucchi G (1986) **Manducation et troubles de l'audition.** *Medit Medic* 2: 19-22

Ioannides CA, Hoogland GA (1983) **The disco-malleolar ligament: a possible cause of subjective hearing loss in patients with temporomandibular joint dysfunction.** *J Maxillofac Surg* 2: 227-31

Mohl ND, Zarb GA, Carlsson GE, Rugh JD (1988) **A Textbook of Occlusion.** Quintes Pub Co, Inc, Chicago

Morgan DH, Gooder RL, Christiansen RL, Tiner LW (1995) **The TMJ-Ear connection.** *J Craniomandib Pract* 13; 1: 42-3

Myrhaug H (1984) **The incidence of ear symptoms in cases of malocclusion and temporomandibular joint disturbances.** *Br J Oral Surg* 2: 28

Parker MW, Chole JK (1995) **Tinnitus, vertigo and temporomandibular disorders.** *Am J Orthod Dent Fac Orthop* 107; 2: 153-8

Philipp U, Munker G, Komposh G (1972) **Die funktion der Tube Eustachii bei Patienten mit Kiefergelenkerkrankungen.** *Dtsch Zahnärztl Z* 27: 806

Pinto OF (1962) **A new structure related to the temporomandibular joint and middle ear.** *J Prosthet Dent* 12: 95

Ramirez ALM, Sandoval OGP, Ballesteros LE (2005) **Theories on Otic Symptoms in Temporomandibular Disorders: Past and Present.** *Int J Morphol* 23; 2: 141-56

Ren YF, Isberg A (1995) **Tinnitus in Patients With Temporomandibular Joint Internal Derangement.** *J Craniomand Pract* 13; 2: 75-80

Rubinstein B, Carlsson GE (1987) **Effects of stomatognathic treatment on tinnitus. A retrospective study.** *J Craniomandib Pract* 5: 254

Salvetti G, Manfredini D, Barsotti S, Bosco M (2006) **Otologic symptoms in temporomandibular disorders patients: is there evidence of an association-relationship?** Minerva Stomatol 55; 11-12: 627-37

Schwartz HC, Kendrick RW (1984) **Internal derangements of the temporomandibular joint: description of clinical syndromes.** Oral Surg Oral Med 58; 1: 24-9

Seedorf H, Jude HD (2006) **Otalgia as a result of certain temporomandibular joint disorders.** Laryngorhinootologie 85; 5: 327-32

Shore SE, Vass Z, Wys NL, Altschuler RA. (2000) **Trigeminal ganglion innervates the auditory brainstem.** J Comp Neurol 10; 419, 3: 271-85

Shore SE, El Kashlan H, Lu J (2003) **Effects of trigeminal ganglion stimulation on unit activity of ventral cochlear nucleus neurons.** Neurosci 11 ; 4: 1085-101

Smelee LE (1988) **Odontogeny of relationship of human middle ear and temporomandibular joint.** Acta Anat 131: 338-41

Tullberg M, Ernberg M. (2006) **Long-term effect on tinnitus by treatment of temporomandibular disorders: a two-year follow-up by questionnaire.** Acta Odontol Scand 64; 2: 89-96

Tuz HH, Onder EM, Kisnisci RS (2003) **Prevalence of otologic complaints in patients with temporomandibular disorder.** Am J Orthod Dentofacial Orthop 123; 6: 620-3

Vass Z, Shore SE, Nuttall AL, Jancso G, Brechtelsbauer PB, Miller JM (1997) **Trigeminal ganglion innervation of the cochlear--a retrograde transport study.** Neurosci 79; 2: 605-15

Vass Z, Shore SE, Nuttall AL, Miller JM (1998) **Direct evidence of trigeminal innervation of the cochlear blood vessels.** Neurosci 84; 2: 559-67

Vass Z, Shore SE, Nuttall AL, Miller JM (1998) **Endolymphatic hydrops reduces retrograde labeling of trigeminal innervation to the cochlear.** Exp Neurol 151; 2: 241-8

Wright EF, Bifano SL (1997) **Tinnitus improvement through TMD therapy.** J Am Dent Assoc 128; 10: 1424-32

Wright EF, Syms CA 3rd, Bifano SL (2000) **Tinnitus, dizziness, and nonotologic otalgia improvement through temporomandibular disorder therapy.** Mil Med 165; 10: 733-6

Zhou J, Shore S. (2004) **Projections from the trigeminal nuclear complex to the cochlear nuclei: a retrograde and anterograde tracing study in the guinea pig.** J Neurosci Res 15; 78, 6: 901-7

Mise à jour le Samedi, 15 Décembre 2012 01:46